Name:	Period:	Date:	
Inequalities Guide Notes			Math 6

Inequality

An inequality is a statement that compares two or more quantities.

The comparison of quantities involves one of the four symbols below:



Inequality symbols > and < are NON-STRICT.

Inequality symbols \geq and \leq are **STRICT**

Namo	
ivanie.	

__ Period: _____ Date: _____

Inequalities Guide Notes

Math 6

Problem 1:

Compare the two quantities and insert the correct inequality in the box below.



<mark>Solution: ></mark>



Inequalities Guide Notes

The Meaning of Inequality Symbols The statements below illustrate the meaning of the inequality symbols.

Statements	Read as:	Meaning
<i>x</i> > 7	"x is greater than 7"	"x" can be of any value as long as it is greater than 7. Some of the values can be 8, 11, 15, etc.
<i>x</i> < -5	"x is less than -5"	"x" can be of any value as long as it is less than -5. Some of the values can be -6, -7, -13, etc.
$x \ge 1$	"x is greater than or equal to 1"	"x" can be of any value as long as it is greater than or equal to 1. Some of the values can be 1, 2, 14, etc.
$x \leq -8$	"x is less than or equal to -8"	"x" can be of any value as long as it is less than or equal to -8. Some of the values can be -8, -9, -14, etc.

Problem 2:

Give the meaning of the inequality statement $x \ge 9$, and determine 3 possible values for x.



Inequalities Guide Notes

Writing Inequalities

The table below shows the words that represent inequalities.

<	>	\leq	\geq	¥
less than	greater than	less than or equal	greater than or	is not equal to
is under	is more than	to	equal to	is not the same
is below	> above	maximum	> minimum	as
is lower than	> over	bottom	> top	is different
is fewer than	Iarger than	is not greater than	is not less than	from
shorter than	exceeds	is at most	is at least	differs from
smaller than	increased	is no more than		
beneath	Ionger than			
a better deal	is higher			
	than			

Problem 3:

Rewrite the given verbal statement into its corresponding inequality statement.

- The sum of x and 16 is greater than or equal to 32. Α.
- The product of 13 and x is less than 36. Β.
- The difference of x and 9 is greater than 21. C.
- The ratio of x and 4 is less than or equal to 15. D.



|--|

Inequalities Guide Notes TRUE or FALSE Inequality Statements

In determining whether a given inequality statement is TRUE or FALSE, the process of **substitution** is involved. The variable is replaced by a given number and the resulting statement can either be true or false.

If the resulting statement is TRUE, then the given number is a solution to the given inequality statement. Below is an example:

Example: Determine whether the given inequality statement below is TRUE or FALSE.

Is x + 5 > 7, if x = 3?

Step 1: Substitute the given value of x to the inequality statement.

 $x+5>7, x=3 \longrightarrow (3)+5>7$

Step 2: Perform the necessary operation.

$$(\mathbf{3}) + \mathbf{5} > \mathbf{7} \longrightarrow \mathbf{8} > \mathbf{7}$$

Step 3: Decide whether the given inequality statement is TRUE or FALSE based on the resulting statement.

Math 6

Name:	Period:	Date:	
Inequalities Guide Notes			Math 6
Problem 4:			
$I_{5x} - 8 < -3$ if $x = 6$?			

Graphing Inequalities on a Number Line

An inequality is a set of points that can be represented on a number line. The inequality is either represented as an open circle or a closed circle.

Looking at the illustration below, the following interpretations can be obtained:

An OPEN CIRCLE indicates that the number on the other side of the inequality is not part of the solution.



Name:Period:Date:InequalitiesGuide NotesMath 6A CLOSED CIRCLEindicatesthat the number on the otherside of the inequality is a part of

x > 0

How are inequalities graphed on a number line?

Below are the steps involved in graphing inequalities on a number line.

Graph the inequalities y > 2 and $y \ge 2$ on a number line.

	<i>y</i> > 2	$y \ge 2$
Step	Determine the number on the	Determine the number on the
1	other side of the inequality. In	other side of the inequality. In
	this case, it is 2 .	this case, it is 2 .
Step	Construct a number line and	Construct a number line and
2	draw a circle around that	draw a circle around that
	number.	number.
	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c c c c c c c c c c c c c c c c c c c $

the solution.

Name:		Period: Date:
Inequa	alities Guide Notes	Math 6
Step	Leave the circle open because	Shade the circle because 2
3	2 cannot be a value of y. It's not a part of the solution.	can be a value of <mark>y</mark> . It is a part of the solution.
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	•
Step	Shade ALL numbers that can	Shade ALL numbers that can
4	be part of the solution.	be part of the solution.
	In this case, $y > 2$, so ALL	In this case, $y \ge 2$ so ALL
	numbers to the right of 2	numbers to the right of 2
	must be shaded.	must be shaded.
	-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6	-6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6

Problem 5:

Graph each inequality given below.



Name:	Period:	Date:

Inequalities Guide Notes

Math 6

Inequalities in Real World

The concept of inequalities is very useful in real life context. This can be applied in comparing which temperature is warmer, speed limit when driving, minimum payments for credit cards, etc.

The table below shows the application of inequalities in real life context and its corresponding mathematical inequality statements.

Real-life Situations	Mathematical Inequality Statements
Temperature	Temperature needed to bake a cake is $> 180^\circ$
Credit Card Payment	Credit card payment is \geq 10% of the total amount due.
Time Traveled	The time it takes to travel from home to school is < an hour.
Speed Limit	Speed limit on a highway \leq 70 miles/hr.

Problem 6:

Which is warmer, -11 °C or 0 °C?